

КОМПЮТРИ И СЪРВЪРИ > Сървъри

## Lenovo ThinkSystem SR650 V2, Xeon Silver 4309Y (8C, 2.8GHz, 12MB Cache, 105W), 32GB (1x32GB, 3200MHz 2Rx4 RDIMM), 8 SAS/SATA, 930-8i, 1x1100W Titanium, 5 Standard Fans, XCC Enterprise, Toolless V2 Rails



Модел : 7Z73A0AAEA

Lenovo ThinkSystem SR650 V2, Xeon Silver 4309Y (8C, 2.8GHz, 12MB Cache, 105W), 32GB (1x32GB, 3200MHz 2Rx4 RDIMM), 8 SAS/SATA, 930-8i, 1x1100W Titanium, 5 Standard Fans, XCC Enterprise, Toolless V2 Rails

Серия: ThinkSystem SR650 V2

Процесор: Intel Xeon Silver 4309Y (8 core, 2.8 GHz, 12 MB L3, 105W)

Памет, GB: 32GB (1x32GB, 3200MHz 2Rx4 RDIMM)

Памет, слотове: 32 DIMM slots with two processors (16 DIMM slots per processor). Each processor has 8 memory channels, with 2 DIMMs per channel (DPC). Lenovo TruDDR4 RDIMMs and 3DS RDIMMs are supported.

Твърд диск, GB: 0/Bay 2.5in SAS/SATA

Дисков контролер: ThinkSystem RAID 930-8i 2GB Flash PCIe 12Gb Adapter

Брой поддържани дискове: 8x 2.5" SAS/SATA Open bay

Оптично устройство: -

Мрежа: Dedicated OCP 3.0 SFF slot with PCIe 4.0 x16 host interface. Supports a variety of 2-port and 4-port adapters with 1GbE, 10GbE and 25GbE network connectivity. One port can optionally be shared with the XCC management processor for Wake-on-LAN and NC-SI.

Разширителен слот: 3 (x16, x8, x8) Gen4

Интерфейс: Front: 1x USB 3.2 G1 (5 Gb/s), 1x USB 2.0 (also for XCC local management), External diagnostics port, optional VGA; Rear: 3x USB 3.2 G1 (5 Gb/s), 1x VGA, 1x RJ-45 1GbE systems management port for XCC remote management; Internal: 1x USB 3.2 G1

Порт за отдалечено управление: 1x RJ-45 1GbE systems management port for XCC remote management.

Захранване: 1x1100W Titanium

Съвместими операционни системи: Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi

Софтуер за управление: XCC Enterprise

Форм-фактор: 2U Rack

Тип на шасито: Hot-Plug



Други: 5 Standard Fans, Toolless V2 Rails

Цена : 6600.35 лв. с ДДС

*Наличност: Този продукт е бил добавен в нашия каталог на Вт 16 юли, 2024*